

# QUICK PRICE

**COAXIAL PRODUCT**

**CONTROL CABLE PRODUCT**

**TELEPHONE CABLE PRODUCT**

**POWER CABLE PRODUCT**

**SOLAR CELL PRODUCT**

**LABEL PRINTER**



# CONTENT

## COAXIAL PRODUCT

COAXIAL RG.6/U CABLE	3
BALAN CCTV	3
POWER CONNECTOR	3
SURGE PROTECTOR	3
BNC-CONNECTOR	4
F-CONNECTOR	4
RF-CONNECTOR	4
BNC PATCH PANEL	5
FACE PLATE AND BOX	5
TOOLS COAXIAL	5
LABEL PRINTER	6

## CONTROL CABLE PRODUCT

FIRE ALARM CABLE	7
BAS CABLE	7
MUTI PAIRS CABLE	8
MULTI CORES CABLE	8

## TELEPHONE CABLE PRODUCT

STATION WIRE CABLE	9
DROP WIRE CABLE	9
TELEPHONE INDOOR CABLE	9
TELEPHONE FIG.8 CABLE	10
TELEPHONE AP ARMOR CABLE	10


## POWER CABLE PRODUCT

VCT POWER CABLE	11
VKF/VFF POWER CABLE	11
THWA POWER CABLE	11
THW POWER CABLE	12
VAF POWER CABLE	12
VAF/G POWER CABLE	12

## SOLAR CELL PRODUCT

SOLA PV CABLE	13
SOLAR CONNECTOR	13
SOLAR PUMP INVERTER	14
BREAKER, SURGE PROTECTOR	14
SOLAR PATCH CORD CABLE	14

**COAXIAL RG.6 CABLE**



PART NO.	DESCRIPTIONS	PRICES	UNITE
<b>RG0695-D</b>	1 RG.6/U, 95% SHIELD, 75Ω, DOUBLE JACKET, LONG LENGTH, BLACK	17.70	METERS
<b>RG0695</b>	1 RG.6/U, 95% SHIELD, 75Ω, SINGLE JACKET, LONG LENGTH, BLACK	8	METERS
<b>NO695</b>	1 RG.6/U, 95% SHIELD, 75Ω, SINGLE JACKET, SHORT LENGTH, BLACK	6	METERS
<b>RG0695-MS</b>	2 RG.6/U, 95% SHIELD, 75Ω, MESSENGER WIRE, SINGLE JACKET, LONG LENGTH, BLACK	10.70	METERS
<b>NO695-MS</b>	2 RG.6/U, 95% SHIELD, 75Ω, MESSENGER WIRE, SINGLE JACKET, SHORT LENGTH, BLACK	7.90	METERS
<b>RG0695-2P</b>	3 RG.6/U, 95% SHIELD, 75Ω, POWER WIRE 2C X 1.0 SQ.MM, LONG LENGTH, BLACK	16.70	METERS
<b>NO695-2P</b>	3 RG.6/U, 95% SHIELD, 75Ω, POWER WIRE 2C X 0.75 SQ.MM, SHORT LENGTH, BLACK	12.70	METERS
<b>BC-NO6102P</b>	3 RG.6/U, 95% SHIELD, 75Ω, POWER WIRE 2C X 0.50 SQ.MM, SHORT LENGTH, BLACK	10	METERS
<b>RG0695-2PMS</b>	4 RG.6/U, 95% SHIELD, 75Ω, POWER WIRE 2C X 1.0 SQ.MM AND MESSENGER WIRE, LONG LENGTH, BLACK	21.40	METERS
<b>NO695-2PMS</b>	4 RG.6/U, 95% SHIELD, 75Ω, POWER WIRE 2C X 0.75 SQ.MM AND MESSENGER WIRE, SHORT LENGTH, BLACK	12.60	METERS

**BALAN, SURGE PROTECTOR CCTV**



**POWER CONNECTOR**



PART NO.	DESCRIPTIONS	PRICES	UNITE
<b>BC-102CHD</b>	CCTV BALAN BNC TO TERMINAL, SUPPORT HD/CVI/TVI 720/1080P	136	1 PAIRS.
<b>BC-2001HD</b>	CCTV BALAN BNC + POWER CABLE TO RJ45, SUPPORT HD/CVI/TVI 720/1080P	265	1 PAIRS.
<b>BC-5052</b>	SURGE PROTECTOR 6KV, BNC TO BNC FOR CCTV	640	PCS.
<b>BC-6061</b>	POWER CONNECTOR 2.1MM x 5.5MM MALE, FOR CCTV	40	PCS.
<b>BC-6062</b>	POWER CONNECTOR 2.1MM x 5.5MM FEMALE, FOR CCTV	40	PCS.
<b>BC-7072</b>	POWER SPLITTER CABLE 1-IN MALE TO 2-OUT FEMALE 2.1MM x 5.5MM, FOR CCTV	70	PCS.
<b>BC-7074</b>	POWER SPLITTER CABLE 1-IN MALE TO 4-OUT FEMALE 2.1MM x 5.5MM, FOR CCTV	70	PCS.

**BNC CONNECTOR**



PART NO.	DESCRIPTIONS	PRICES	UNITE
<b>CA002RG6</b>	BNC(MALE) CONNECTOR, FOR RG.6 CABLE	20	PCS.
<b>CA002RG59</b>	BNC(MALE) CONNECTOR, FOR RG.59 CABLE	20	PCS.
<b>CA002RG25</b>	BNC(MALE) CONNECTOR, FOR RG2.5C2V CABLE	20	PCS.
<b>CA007</b>	BNC(FEMALE) TO BNC(FEMALE) COUPLING, FOR RG.6/59/2.5C2V CABLE	33.40	PCS.
<b>CA004</b>	BNC(FEMALE) TO BNC(FEMALE) COUPLING, FOR RG.6/59/2.5C2V CABLE	33.40	PCS.
<b>BM057</b>	BNC(FEMALE) TO BNC(FEMALE) COUPLING KEYSTONE, FOR RG.6/59/2.5C2V CABLE	60	PCS.
<b>CA003</b>	BNC(FEMALE) TO BNC(FEMALE) COUPLING T, FOR RG.6/59/2.5C2V CABLE	33.40	PCS.
<b>CA021</b>	BNC(MALE) TO F(FEMALE) ADAPTER, FOR RG.6/59/2.5C2V CABLE	24	PCS.

**F CONNECTOR**



PART NO.	DESCRIPTIONS	PRICES	UNITE
<b>CA008</b>	F(MALE) CONNECTOR, FOR RG.6 CABLE	6.70	PCS.
<b>CA0085962</b>	F(MALE) CONNECTOR, FOR RG.59 CABLE	6.70	PCS.
<b>CA00825</b>	F(MALE) CONNECTOR, FOR RG.2.5C2V CABLE	6.70	PCS.
<b>CA008CP</b>	F(MALE) CONNECTOR, FOR RG.6 CABLE, ชนิดมีขั้วต่อหัวแบบกันน้ำ	17	PCS.
<b>CA010</b>	F(FEMALE) TO F(FEMALE) COUPLING, FOR RG.6/59/2.5C2V CABLE	8	PCS.
<b>BM055</b>	F(FEMALE) TO F(FEMALE) COUPLING KEYSTONE, FOR RG.6/59/2.5C2V CABLE	30	PCS.

**RF CONNECTOR**



PART NO.	DESCRIPTIONS	PRICES	UNITE
<b>BM056</b>	RF(FEMALE) TO F(FEMAL) ADAPTER KEYSTONE, FOR RG.6/59/2.5C2V CABLE	75	PCS.
<b>CA020</b>	RF(FEMALE) TO F(FEMAL) ADAPTER, FOR RG.6/59/2.5C2V CABLE	24	PCS.
<b>CA009</b>	RF(MALE) TO SRAEW BAR ADAPTER, FOR RG.6/59/2.5C2V CABLE	24	PCS.

**BNC PACH PANEL**



PART NO.	DESCRIPTIONS	PRICES	UNITE
BC-BP16BNCB	16-PORTS BNC BLANK PANEL, BLACK	400	PCS.
BC-BP16BNCW	16-PORTS BNC BLANK PANEL, WHITE	400	PCS.

**FACE PLATE AND BOX**



PART NO.	DESCRIPTIONS	PRICES	UNITE
BM014	FACE PLATE 1-PORT RJ45, FOR KEYSTONE STYLE	23	PCS.
BM015	FACE PLATE 2-PORT RJ45, FOR KEYSTONE STYLE	23	PCS.
BM316	FACE PLATE 3-PORT RJ45, FOR KEYSTONE STYLE	33.40	PCS.
BM317	FACE PLATE 4-PORT RJ45, FOR KEYSTONE STYLE	33.40	PCS.
BM016	BOX 2" X 4", FOR FACE PLATE	18.70	PCS.
BM058	INSERT BLANK KEYSTONE STYLE สำหรับปิดช่องว่าง	10	PCS.
BM054	INSERT BLANK KEYSTONE STYLE, FOR F TO F COUPLING	10	PCS.

**COAXIAL TOOLS**



PART NO.	DESCRIPTIONS	PRICES	UNITE
BC-1011	คีมเข้าหัว BNC RG.58, 59, 62, 11, 8, 213	136	1 PAIRS.
BC-1017	คีมเข้าหัว BNC RG.58, 59, 62, 6	265	1 PAIRS.
BC-323	คีมปลอกสาย RG.59, 62, 11, 7, 213, 8		
BC-352	คีมปลอกสาย RG.59, 6, 11, 7 และ อื่นๆ		
BC-1018C	คีมปลอกสาย RG.58, 59, 62, 6		
BC-1118C	คีมปลอกสาย RG.8, 11, 213		

**LABEL PRINTER**



PART NO.	DESCRIPTIONS	PRICES	UNITE
M210	เครื่องพิมพ์สติ๊กเกอร์	5,600	PCS.
BMP21-AC	POWER ADAPTER	1,000	PCS.
M21-125-C-342	ตลับหมึก PERMASLEEVE , กว้าง, 22AWG-16AWG, กว้าง 3.20MM, ยาว 2.13M, WHITE	2,650	PCS.
M21-250-C-342	ตลับหมึก PERMASLEEVE , กว้าง, 16AWG-8AWG, กว้าง 6.90MM, ยาว 2.13M, WHITE	2,650	PCS.
M21-375-C-342	ตลับหมึก PERMASLEEVE , กว้าง, 12AWG-4AWG, กว้าง 10.70MM, ยาว 2.13M, WHITE	2,700	PCS.



PART NO.	DESCRIPTIONS	PRICES	UNITE
M21-375-499	ตลับหมึก MULTI-PURPOSE NYLON, TAPE/ใบน, กว้าง 9.53MM, ยาว 4.88M, WHITE	1,560	PCS.
M21-750-499	ตลับหมึก MULTI-PURPOSE NYLON, TAPE/ใบน, กว้าง 19.5MM, ยาว 4.88M, WHITE	1,560	PCS.
M21-1000-427	ตลับหมึก SELF-LAMINATING, TAPE/ใบน, กว้าง 25.40MM, ยาว 4.27M, WHITE	1,990	PCS.
M21-1500-427	ตลับหมึก SELF-LAMINATING, TAPE/ใบน, กว้าง 38.10MM, ยาว 4.27M, WHITE	2,200	PCS.



PART NO.	DESCRIPTIONS	PRICES	UNITE
M21-750-595-BL	ตลับหมึก ALL-WEATHER VINYL, TAPE/ใบน, กว้าง 19.05MM, ยาว 6.40M, BLUE	1,390	PCS.
M21-750-595-WT	ตลับหมึก ALL-WEATHER VINYL, TAPE/ใบน, กว้าง 19.05MM, ยาว 6.40M, WHITE	1,390	PCS.
M21-750-595-YL	ตลับหมึก ALL-WEATHER VINYL, TAPE/ใบน, กว้าง 19.05MM, ยาว 6.40M, YELLOW	1,390	PCS.
M21-375-595-RD	ตลับหมึก ALL-WEATHER VINYL, TAPE/ใบน, กว้าง 9.53MM, ยาว 6.40M, RED	1,390	PCS.
M21-375-595-YL	ตลับหมึก ALL-WEATHER VINYL, TAPE/ใบน, กว้าง 9.53MM, ยาว 6.40M, YELLOW	1,390	PCS.

**FIRE ALARM CABLE**



**FIRE ALARM CABLE, 105C**

**APPLICATIONS/USAGES**

- Fire Alarm System
- Smoke Detector
- Critical Central Fire System
- Control Circuits
- Notification Circuits

**STANDARD**

- UL 1685 NEC type FPL
- UL 1666 NEC type FPLR 300v

**PHYSICAL CONSTRUCTION & PROPERTIES**

PHYSICAL CONSTRUCTION	PROPERTIES
CONDUCTOR	Solid Bare Copper
INSULATION	105C Rated PVC (Black, Red)
CONFIG	2 Cores Twisted with Mylar Tape Wrapping
SHIELDING	AWG22 Stranded Tinned Copper Drain Wire, +100% Overlapped AL/P-Foil Turning Inward
JACKET	105 C Rated PVC [Red]
VOLTAGE RATING	300 V
TEMP. RATING	105 C
FLAME TEST	VW-1 Vertical Flame Test

PART NO.	DESCRIPTIONS	PRICES	UNITE
FA0116	FIRE ALARM CABLE 16 AWG, UL1685, FPL, 1-PAIRS (100/200/300/500M./ROLL)	26	METERS

**BAS CABLE**



1 Pairs



2 Pairs

**BAS CABLE (BUILDING AUTOMATIC SYSTEM)**

**APPLICATIONS/USAGES**

- Fire Alarm System
- Smoke Detector
- Critical Central Fire System
- Control Circuits
- Notification Circuits
- UL-RS485(1,000m. length)

**STANDARD**

- UL 1685 NEC type FPL

**PHYSICAL CONSTRUCTION & PROPERTIES**

PHYSICAL CONSTRUCTION	PROPERTIES
CONDUCTOR	Solid Bare Copper
INSULATION	105C Rated PVC (Black, Red)
CONFIG	2 or 4 Cores Twisted with Mylar Tape Wrapping
SHIELDING	AWG22 Stranded Tinned Copper Drain Wire, + 100% Overlapped AL/P-Foil Turning Inward
JACKET	105 C Rated PVC [Red]
VOLTAGE RATING	300 V
TEMP. RATING	105 C
FLAME TEST	VW-1 Vertical Flame Test

PART NO.	DESCRIPTIONS	PRICES	UNITE
BAS0118	TWISTED PAIRS SHIELD 1X18AWG, 1PAIRS (UL-RS485)	16	METERS
BAS0222	TWISTED PAIRS SHIELD 2X22AWG, 2PAIRS (UL-RS485)	18	METERS

**MULTI PAIRS CABLE**



Double Shield



Single Shield

**MULTI-PAIRS CABLE UL-2919**

**APPLICATIONS/USAGES**

- For internal wiring and external interconnection of electronic equipment
- RS-423, RS-232C Heavy-Duty

**PHYSICAL CONSTRUCTION & PROPERTIES, Multi-Pairs Cable, UL-2919**

PHYSICAL CONSTRUCTION	PROPERTIES
CONDUCTOR	7/0.20 mm Stranded Tinned Copper
INSULATION	Color Code PVC
CONFIG	Multi-Pairs twisted to group
SHIELDING	100% Overlapped AL/P-Foil
JACKET	PVC 70C Rated
VOLTAGE RATING	300V
TEMP. RATING	70C
FLAME TEST	VW-1 Vertical Flame Test

PART NO.	DESCRIPTIONS	PRICES	UNITE
MP0224D	MULTI-PAIRS CABLE TABLE UL-2919, 24 AWG DOUBLE SHIELD, 2PAIRS (100/200/300/500M./ROLL)	23	METERS
MP0224S	MULTI-PAIRS CABLE TABLE UL-2919, 24 AWG SINGLE SHIELD, 2PAIRS (100/200/300/500M./ROLL)	14	METERS
MP0424S	MULTI-PAIRS CABLE TABLE UL-2919, 24 AWG SINGLE SHIELD, 4PAIRS (100/200/300/500M./ROLL)	25	METERS

**MULTI CORES CABLE**



Double Shield

**MULTI-CORE CABLE UL-2464**

**APPLICATIONS/USAGES**

- For internal wiring and external interconnection of electronic equipment
- RS-423, RS-232C Heavy-Duty

**PHYSICAL CONSTRUCTION & PROPERTIES, Multi-Core Cable, UL-2464**

PHYSICAL CONSTRUCTION	PROPERTIES
CONDUCTOR	7/0.20 mm Stranded Tinned Copper
INSULATION	Color Code PVC
CONFIG	Multi-Cable twisted to group
SHIELDING	100% Overlapped AL/P-Foil + Tinned Copper Wire Braid Shield (65%)
JACKET	PVC 70C Rated
VOLTAGE RATING	300V
TEMP. RATING	70C
FLAME TEST	VW-1 Vertical Flame Test

PART NO.	DESCRIPTIONS	PRICES	UNITE
MC0424D	MULTI-CORE CABLE UL-2464, 24 AWG, DOUBLE SHIELD, 2PAIRS (100/200/300/500M./ROLL)	22	METERS

STATION AND DROP WIRE CABLE



PART NO.	DESCRIPTIONS	PRICES	UNITE
<b>BCM-ST0224</b>	TIEV-CC STATION WIRE 2CX0.5MM. (100M./ROLL)	<b>3.40</b>	METERS
<b>BCM-ST0424</b>	TIEV-CC STATION WIRE 4CX0.5MM. (100M./ROLL)	<b>6.25</b>	METERS
<b>BCM-ST0422</b>	TIEV-CC STATION WIRE 4CX0.65MM. (100M./ROLL)	<b>9.35</b>	METERS
<b>BTC-DP0209</b>	DROP WIRE 2C X 0.9MM. (SOLID COPPER) 200M/ROLL	<b>12</b>	METERS
<b>DW-09001-BC</b>	DROP WIRE 2C X 0.9MM. (SOLID COPPER) 200M/ROLL	<b>12</b>	METERS
<b>DW-09001-CCS</b>	DROP WIRE 2C X 0.9MM. (SOLID COPPER CLAD) 200M/ROLL	<b>6</b>	METERS
<b>DW-15001-BC</b>	DROP WIRE 2C X 1.5 SQ.MM/16AWG (STRAND COPPER) 200M/ROLL	<b>26</b>	METERS
<b>DW-25001-BC</b>	DROP WIRE 2C X 2.5 SQ.MM/14AWG (STRAND COPPER) 200M/ROLL	<b>33</b>	METERS
<b>C63001</b>	RJ11 TELEPHONE OUTLET JACK 4-PIN, ใช้ได้กับหน้ากากของหัวเลขทุกรุ่น	<b>45</b>	PCS.
<b>C63002</b>	RJ11 TELEPHONE PLUG 4-PIN หรือ ตัวผู้โทรศัพท์ 4 ขา	<b>2.50</b>	PCS.

TELEPHONE INDOOR CABLE



PART NO.	DESCRIPTIONS	0.50 (24AWG) 0.65 (22AWG)		UNITE
		PRICES	PRICES	
<b>IN0424 / IN0422</b>	TELEPHONE INDOOR CABLE TPEV(IN), 4 PAIRS	<b>19</b>	<b>26</b>	METERS
<b>IN0524 / IN0522</b>	TELEPHONE INDOOR CABLE TPEV(IN), 5 PAIRS	<b>22</b>	<b>31</b>	METERS
<b>IN0624 / IN0622</b>	TELEPHONE INDOOR CABLE TPEV(IN), 6 PAIRS	<b>25</b>	<b>35</b>	METERS
<b>IN0824 / IN0822</b>	TELEPHONE INDOOR CABLE TPEV(IN), 8 PAIRS	<b>33</b>	<b>48</b>	METERS
<b>IN1024 / IN1022</b>	TELEPHONE INDOOR CABLE TPEV(IN), 10 PAIRS	<b>37</b>	<b>55</b>	METERS
<b>IN1524 / IN1522</b>	TELEPHONE INDOOR CABLE TPEV(IN), 15 PAIRS	<b>54</b>	<b>81</b>	METERS
<b>IN2024 / IN2022</b>	TELEPHONE INDOOR CABLE TPEV(IN), 20 PAIRS	<b>68</b>	<b>104</b>	METERS
<b>IN2524 / IN2522</b>	TELEPHONE INDOOR CABLE TPEV(IN), 25 PAIRS	<b>83</b>	<b>128</b>	METERS
<b>IN3024 / IN3022</b>	TELEPHONE INDOOR CABLE TPEV(IN), 30 PAIRS	<b>104</b>	<b>155</b>	METERS
<b>IN4024 / IN4022</b>	TELEPHONE INDOOR CABLE TPEV(IN), 40 PAIRS	<b>140</b>	<b>205</b>	METERS
<b>IN5024 / IN5022</b>	TELEPHONE INDOOR CABLE TPEV(IN), 50 PAIRS	<b>160</b>	<b>250</b>	METERS
<b>IN10024 / IN10022</b>	TELEPHONE INDOOR CABLE TPEV(IN), 100 PAIRS	<b>310</b>	<b>480</b>	METERS
<b>IN15024 / IN15022</b>	TELEPHONE INDOOR CABLE TPEV(IN), 150 PAIRS	<b>Call</b>	<b>Call</b>	METERS
<b>IN20024 / IN20022</b>	TELEPHONE INDOOR CABLE TPEV(IN), 200 PAIRS	<b>600</b>	<b>945</b>	METERS

TELEPHONE OUTDOOR FIG.8 CABLE



PART NO.	DESCRIPTIONS	0.50 (24AWG) 0.65 (22AWG)		UNITE
		PRICES	PRICES	
<b>FG0424 / FG0422</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 4 PAIRS	<b>Call</b>	<b>Call</b>	METERS
<b>FG0524 / FG0522</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 5 PAIRS	<b>Call</b>	<b>Call</b>	METERS
<b>FG0624 / FG0622</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 6 PAIRS	<b>96</b>	<b>114</b>	METERS
<b>FG0824 / FG0822</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 8 PAIRS	<b>Call</b>	<b>Call</b>	METERS
<b>FG1024 / FG1022</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 10 PAIRS	<b>114</b>	<b>140</b>	METERS
<b>FG1524 / FG1522</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 15 PAIRS	<b>136</b>	<b>172</b>	METERS
<b>FG2024 / FG2022</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 20 PAIRS	<b>158</b>	<b>198</b>	METERS
<b>FG2524 / FG2522</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 25 PAIRS	<b>172</b>	<b>225</b>	METERS
<b>FG3024 / FG3022</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 30 PAIRS	<b>194</b>	<b>260</b>	METERS
<b>FG4024 / FG4022</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 40 PAIRS	<b>Call</b>	<b>Call</b>	METERS
<b>FG5024 / FG5022</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 50 PAIRS	<b>268</b>	<b>375</b>	METERS
<b>FG10024 / FG10022</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 100 PAIRS	<b>448</b>	<b>665</b>	METERS
<b>FG15024 / FG15022</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 150 PAIRS	<b>Call</b>	<b>965</b>	METERS
<b>FG20024 / FG20022</b>	TEPHONE OUTDOOR CABLE AP-8-(FIG-8), 200 PAIRS	<b>845</b>	<b>1,275</b>	METERS

TELEPHONE AP ARMOR CABLE



PART NO.	DESCRIPTIONS	0.50 (24AWG) 0.65 (22AWG)		UNITE
		PRICES	PRICES	
<b>AP0424 / AP0422</b>	TELEPHONE OUTDOOR CABLE AP, 4 PAIRS	<b>Call</b>	<b>Call</b>	METERS
<b>AP0524 / AP0522</b>	TELEPHONE OUTDOOR CABLE AP, 5 PAIRS	<b>Call</b>	<b>Call</b>	METERS
<b>AP0624 / AP0622</b>	TELEPHONE OUTDOOR CABLE AP, 6 PAIRS	<b>45</b>	<b>58</b>	METERS
<b>AP0824 / AP0822</b>	TELEPHONE OUTDOOR CABLE AP, 8 PAIRS	<b>Call</b>	<b>Call</b>	METERS
<b>AP1024 / AP1022</b>	TELEPHONE OUTDOOR CABLE AP, 10 PAIRS	<b>62</b>	<b>79</b>	METERS
<b>AP1524 / AP1522</b>	TELEPHONE OUTDOOR CABLE AP, 15 PAIRS	<b>79</b>	<b>107</b>	METERS
<b>AP2024 / AP2022</b>	TELEPHONE OUTDOOR CABLE AP, 20 PAIRS	<b>92</b>	<b>132</b>	METERS
<b>AP2524 / AP2522</b>	TELEPHONE OUTDOOR CABLE AP, 25 PAIRS	<b>110</b>	<b>152</b>	METERS
<b>AP3024 / AP3022</b>	TELEPHONE OUTDOOR CABLE AP, 30 PAIRS	<b>132</b>	<b>180</b>	METERS
<b>AP4024 / AP4022</b>	TELEPHONE OUTDOOR CABLE AP, 40 PAIRS	<b>Call</b>	<b>Call</b>	METERS
<b>AP5024 / AP5022</b>	TELEPHONE OUTDOOR CABLE AP, 50 PAIRS	<b>185</b>	<b>272</b>	METERS
<b>AP10024 / AP10022</b>	TELEPHONE OUTDOOR CABLE AP, 100 PAIRS	<b>355</b>	<b>525</b>	METERS
<b>AP15024 / AP15022</b>	TELEPHONE OUTDOOR CABLE AP, 150 PAIRS	<b>500</b>	<b>785</b>	METERS
<b>AP20024 / AP20022</b>	TELEPHONE OUTDOOR CABLE AP, 200 PAIRS	<b>675</b>	<b>1,030</b>	METERS

VCT POWER CABLE



PART NO.	DESCRIPTIONS	20M	30M	50M	100M	UNITE
2100-BLK-xx	IEC53: VCT2X1.0 SQ.MM.	340	510	850	1,700	ROLL.
2150-BLK-xx	IEC53: VCT2X1.5 SQ.MM.	452	678	1,130	2,260	ROLL.
2250-BLK-xx	IEC53: VCT2X2.5 SQ.MM.	728	1,092	1,820	3,640	ROLL.
3100-BLK-xx	IEC53: VCT3X1.0 SQ.MM.	462	693	1,155	2,310	ROLL.
3150-BLK-xx	IEC53: VCT3X1.5 SQ.MM.	645	968	1,613	3,225	ROLL.
3250-BLK-xx	IEC53: VCT3X2.5 SQ.MM.	1,038	1,557	2,595	5,190	ROLL.

VKF (VFF) POWER CABLE



PART NO.	DESCRIPTIONS	PRICES	UNITE
VKF-2050-30	IEC52 VKF 2X0.50 SQ.MM. (30M)	189	ROLL.
VKF-2050-100	IEC52 VKF 2X0.50 SQ.MM. (100M)	590	ROLL.
VKF-2010-50	IEC53 VKF 2X1.00 SQ.MM. (50M)	540	ROLL.
VKF-2010-100	IEC53 VKF 2X1.00 SQ.MM. (100M)	1,080	ROLL.

THWA POWER CABLE



PART NO.	DESCRIPTIONS	PRICES	UNITE
CC-THWA-010-100	TIS 293-2541: 450/750V: 10 SQ.MM.(100M)	715	ROLL.
CC-THWA-016-100	TIS 293-2541: 450/750V: 16 SQ.MM. (100M)	1,020	ROLL.
CC-THWA-025-100	TIS 293-2541: 450/750V: 25 SQ.MM. (100M)	1,500	ROLL.
CC-THWA-035-100	TIS 293-2541: 450/750V: 35 SQ.MM. (100M)	1,950	ROLL.
CC-THWA-050-100	TIS 293-2541: 450/750V: 50 SQ.MM. (100M)	2,997	ROLL.
CC-THWA-070-100	TIS 293-2541: 450/750V: 70 SQ.MM. (100M)	4,469	ROLL.
CC-THWA-095-100	TIS 293-2541: 450/750V: 95 SQ.MM. (100M)	5,839	ROLL.

THW POWER CABLE



PART NO.	DESCRIPTIONS	PRICES	UNITE
CC/THW015xx	THW POWER CABLE 1.5 SQ.MM. (100M./ROLL) "CENTURY CABLE"	8.20	METERS
CC/THW025xx	THW POWER CABLE 2.5 SQ.MM. (100M./ROLL) "CENTURY CABLE"	12.10	METERS
CC/THW040xx	THW POWER CABLE 4 SQ.MM. (100M./ROLL) "CENTURY CABLE"	18.70	METERS
YA/THW015xx	THW POWER CABLE 1.5 SQ.MM. (100M./ROLL) "YAZAKI CABLE"	8.20	METERS
YA/THW025xx	THW POWER CABLE 2.5 SQ.MM. (100M./ROLL) "YAZAKI CABLE"	12.10	METERS
YA/THW040xx	THW POWER CABLE 4 SQ.MM. (100M./ROLL) "YAZAKI CABLE"	18.70	METERS
YA/THW060xx	THW POWER CABLE 6 SQ.MM. (100M./ROLL) "YAZAKI CABLE"	30.0	METERS
YA/THW10xx	THW POWER CABLE 10 SQ.MM. (100M./ROLL) "YAZAKI CABLE"	49.30	METERS
YA/THW16xx	THW POWER CABLE 16 SQ.MM., BLACK "YAZAKI CABLE"	76.50	METERS
YA/THW25xx	THW POWER CABLE 25 SQ.MM., BLACK "YAZAKI CABLE"	120	METERS
YA/THW35xx	THW POWER CABLE 35 SQ.MM., BLACK "YAZAKI CABLE"	170.50	METERS
YA/THW50xx	THW POWER CABLE 50 SQ.MM., BLACK "YAZAKI CABLE"	229.20	METERS

XX คือ สีของสายไฟชนิดอื่น BK=BLACK, BL=BLUE, GN=GREEN, RD=RED, WT=WHITE, YL=YELLOW.

VAF POWER CABLE



PART NO.	DESCRIPTIONS	VAF-YA	VAF-FU	UNITE
		PRICES	PRICES	
XX/VAF2001	VAF 2 X 1.0 SQ.MM. (100M./ROLL)	11.60	8.83	METERS
XX/VAF2015	VAF 2 X 1.50 SQ.MM. (100M./ROLL)	16.75	12.36	METERS
XX/VAF2025	VAF 2 X 2.50 SQ.MM. (100M./ROLL)	27.05	19.87	METERS
XX/VAF2040	VAF 2 X 4.0 SQ.MM. (100M./ROLL)	41.90	31.62	METERS
XX/VAF2060	VAF 2 X 6.0 SQ.MM. (100M./ROLL)	66.70	51.71	METERS
XX/VAF2100	VAF 2 X 10 SQ.MM. (100M./ROLL)	107.85	81.37	METERS
XX/VAF2160	VAF 2 X 16 SQ.MM. (100M./ROLL)	167.15	124.68	METERS

XX คือสายไฟชนิดอื่น YA = YAZAKI CABLE, FU=FUHRER CABLE

VAF/G POWER CABLE



PART NO.	DESCRIPTIONS	VAF/G-YA	VAF/G-FU	UNITE
		PRICES	PRICES	
XX/VAF-G2001	VAF 2 X 1.0 SQ.MM. (100M./ROLL)	24.60	24.60	METERS
XX/VAF-G2015	VAF 2 X 1.50 SQ.MM. (100M./ROLL)	32.20	32.20	METERS
XX/VAF-G2025	VAF 2 X 2.50 SQ.MM. (100M./ROLL)	45.00	45.00	METERS
XX/VAF-G2040	VAF 2 X 4.0 SQ.MM. (100M./ROLL)	70.90	70.90	METERS
XX/VAF-G2060	VAF 2 X 6.0 SQ.MM. (100M./ROLL)	107.30	107.30	METERS
XX/VAF-G2100	VAF 2 X 10 SQ.MM. (100M./ROLL)	159.00	159.00	METERS
XX/VAF-G2160	VAF 2 X 16 SQ.MM. (100M./ROLL)	247.80	247.80	METERS

XX คือสายไฟชนิดอื่น YA = YAZAKI CABLE, FU=FUHRER CABLE

SOLA PV CABLE

เปลือก : ELECTRON BEAM CROSS-LINKED, XLPE WITH LSZH & FLAME RETARDANT COMPOUND

ฉนวน : ELECTRON BEAM CROSS-LINKED, XLPE WITH LSZH & FLAME RETARDANT COMPOUND

ตัวนำ : TINNED COPPER (ทองแดงชุบสังกะสี)

คุณสมบัติพิเศษ :

- ทนน้ำฝนและรังสีเอชเอช
- สารหน่วงไฟ
- ปราศจากฮาโลเจน
- ทน UV

ใช้สำหรับเชื่อมต่อระบบโซลาร์เซลล์ ทั้งภายในและภายนอกอาคาร และอุณหภูมิตั้งแต่ -40°C ถึง 90°C

ทนอุณหภูมิสูงสุด 120°C

มีกักรัดแรงดัน 0.6/1 KV AC และ 1.8 KV DC

PART NO.	DESCRIPTIONS	PRICES	UNITE
BC-5013	PV SOLAR POWER CABLE 1 X 2.5 MM <sup>2</sup> ,RED 50/100/500/1000M./ROLL	26.10	METERS
BC-5014	PV SOLAR POWER CABLE 1 X 2.5 MM <sup>2</sup> ,BLACK 50/100/500/1000M./ROLL	26.10	METERS
BC-5007	PV SOLAR POWER CABLE 1 X 4.0 MM <sup>2</sup> ,RED 50/100/500/1000M./ROLL	34	METERS
BC-5008	PV SOLAR POWER CABLE 1 X 4.0 MM <sup>2</sup> ,BLACK 50/100/500/1000M./ROLL	34	METERS
BC-5009	PV SOLAR POWER CABLE 1 X 6.0 MM <sup>2</sup> ,RED 50/100/500/1000M./ROLL	48.10	METERS
BC-5010	PV SOLAR POWER CABLE 1 X 6.0 MM <sup>2</sup> ,BLACK 50/100/500/1000M./ROLL	48.10	METERS
BC-5011	PV SOLAR POWER CABLE 1 X 16 MM <sup>2</sup> ,RED 50/100/500/1000M./ROLL	Call	METERS
BC-5012	PV SOLAR POWER CABLE 1 X 16 MM <sup>2</sup> ,BLACK 50/100/500/1000M./ROLL	Call	METERS

SOLA CONNECTOR



PART NO.	DESCRIPTIONS	PRICES	UNITE
BC-5001	MC4 SOLAR CONNECTOR, (PAIRS)	40	PAIRS.
BC-5002	MC4 SOLAR PANEL CONNECTOR(PAIRS)	40	PAIRS.
BC-5003	MC4 T SOLAR CONNECTOR 2 TO 1, (PAIRS)	230	PAIRS.
BC-5004	MC4 T SOLAR CONNECTOR 3 TO 1, (PAIRS)	375	PAIRS.
BC-5005	MC4 T SOLAR CONNECTOR 4 TO 1, (PAIRS)	445	PAIRS.
BC-5006	MC4 Y SOLAR BRANCH CABLE 2 TO 1, (PAIRS)	217	PAIRS.

SOLAR PUMP AND BREAKER



PART NO.	DESCRIPTIONS	PRICES	UNITE
AA3700S	SOLAR PUMP INVERTER DC/AC TO AC, INPUT DC MAX POWER 5KW/20A, INPUT DC MAX VOLTAGE 450 VDC, INPUT AC MAX VOLTAGE 220V-240V/35A, OUTPUT RATE AC CURRENT 3.7KW/17A, OUTPUT AC MAX VOLTAGE 220V-240V(1/3PH)	24,000	PCS.
BC-W50A	WIFI-CIRCUIT BREAKER REMOTE CONTROL 1P + NO, 50A, 19MM, DIN-RAIL, WIFI มาตรฐาน เปิด-ปิด ระยะไกลผ่าน WIFI หรือ 4G ด้วยมือถือได้ทั่วโลก	1,450	PCS.
BC-D25A	CONTACTOR, 25A, 2P, 18MM 1NO +1NC 220V, DIN-RAIL	350	PCS.
BC-D63A	CONTACTOR, 63A, 2P, 36MM 1NO + 1NC 220V, DIN-RAIL	700	PCS.
002206	1P, 25A, 30MA, 6KA, AC BREAKER ELECTRONIC TYPE, อุปกรณ์ป้องกันไฟช็อต, ไฟฟ้าเกิน, ไฟดูดหรือไฟรั่ว	480	PCS.
002106	2P, 32A, 30MA, 6KA, AC BREAKER ELECTROMAGNETIC TYPE, อุปกรณ์ป้องกันไฟช็อต, ไฟฟ้าเกิน, ไฟดูดหรือไฟรั่ว	430	PCS.
003109	DC800V 2 POLE DC BREAKER 25A	310	PCS.
004101	DC1000V SURGE PROTECTOR 2 POLE 20KA-40KA	460	PCS.

SOLA PATCH CORD CABLE



PART NO.	DESCRIPTIONS	PRICES	UNITE
BC-5015	PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , 3 M. RED	244	PCS.
BC-5016	PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , 3 M. BLACK	244	PCS.
BC-5017	PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , 5 M. RED	312	PCS.
BC-5018	PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , 5 M. BLACK	312	PCS.
BC-5019	PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , 10 M. RED	482	PCS.
BC-5020	PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , 10 M. BLACK	482	PCS.
BC-5021	PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , RED สั้นๆ	200+35	PCS.
BC-5022	PATCH CORD SOLAR CABLE 4 MM <sup>2</sup> , BLACK สั้นๆ	200+35	PCS.
BC-5023	PATCH CORD SOLAR CABLE 6 MM <sup>2</sup> , RED สั้นๆ	200+50	PCS.
BC-5024	PATCH CORD SOLAR CABLE 6 MM <sup>2</sup> , RED สั้นๆ	200+50	PCS.



**BELLCOMMS**<sup>®</sup>

**For all your networking needs.**

